

To: R3 Clients[R3_Clients@epa.gov]
Cc: Graybill, Eric[graybill.eric@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov];
Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]
From: Nonresponsive based on revised scope [redacted]@tetrattech.com]
Sent: Tue 2/16/2021 6:49:54 PM (UTC)
Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL
Shiloh ARF Aq Feb 2021.pdf

Good Afternoon All,

I have attached an analytical request form for the water sampling scheduled to be collected at Shiloh Church Road between February 22 and March 22, 2021. The laboratory reporting limits can be used. Please let me know if you have any questions.

Thank you,

Nonresponsive based on revised scope [redacted] Sample Coordinator/Environmental Scientist III
Direct +1 (508) 517-4080 | Nonresponsive based on revised scope [redacted]@tetrattech.com
Tetra Tech | Complex World, Clear SolutionsT | EMI Northeast Operations
240 Continental Dr, Suite 200 Newark, DE 19713 | tetrattech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Please consider the environment before printing. Read more

This email will be sent to the following EPA staff as part of the email group R3_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>;
Costa, Karen <Costa.Karen@epa.gov>;
Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren <fortune.warren@epa.gov>; Ghimire,
Aneesh <ghimire.aneesh@epa.gov>;
Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa
<Sassin.Pepa@epa.gov>